

Contents

VOLUME 146, NUMBER 1, SEPTEMBER 1992

SUNDBERG, C. J. & KAIJSER, L. Effects of graded restriction of perfusion on circulation and metabolism in the working leg; quantification of human ischaemia-model	1
KEMP, G. J., TAYLOR, D. J., RADDA, G. K. & RAJAGOPALAN, B. Bio-energetic changes in human gastrocnemius muscle 1-2 days after strenuous exercise	11
THOMPSON, C. H., KEMP, G. J. & RADDA, G. K. Changes in high-energy phosphates in rat skeletal muscle during acute respiratory acidosis	15
MÖRNER, S. E. J. N., CANEPARI, M., BOTTINELLI, R., CAPPELLI, V. & REGGIANI, C. Effects of Amrinone on shortening velocity, force development and ATPase activity of demembranated preparations of rat ventricular myocardium	21
ARLOCK, P., WOHLFART, B., MÖRNER, S. E. J. N. & BRANDT, J. Force production in voltage-clamped human atrial muscle	31
LUNDBERG, L. E. R., JØRUM, E., HOLM, E. & TOREBJÖRK, H. E. Intra-neural electrical stimulation of cutaneous nociceptive fibres in humans: effects of different pulse patterns on magnitude of pain	41
OLAUSSEN, B., SHYU, B.-C., RYDENHAG, B. & ANDERSSON, S. Thalamic nociceptive mechanisms in cats, influenced by central conditioning stimuli	49
FORSLLID, A. & HÄGGENDAL, J. Inefficiency of bilateral amygdaloid lesions to reduce the transient motor reactions exhibited by swine during exposure to CO ₂	61
PURALI, N. & RYDQVIST, B. Block of potassium outward currents in the crayfish stretch receptor neurons by 4-aminopyridine, tetraethylammonium chloride and some other chemical substances	67
JENNISCHE, E. & MATEJKA, G. L. IGF-I binding and IGF-I expression in regenerating muscle of normal and hypophysectomized rats	79
HICKNER, R. C., ROSDAHL, H., BORG, I., UNGERSTEDT, U., JORFELDT, L. & HENRIKSSON, J. The ethanol technique of monitoring local blood flow changes in rat skeletal muscle: implications for microdialysis	87
HARALDSSON, G., NILSSON, U., BRATELL, S., PETTERSSON, S., SCHERSTEN, T., ÅKERLUND, S. & JONSSON, O. ESR-measurement of production of oxygen radicals <i>in vivo</i> before and after renal ischaemia in the rabbit	99
SELIGSOHN, E. E. Adrenergic and non-adrenergic cardiovascular effects of thyrotropin-releasing hormone (TRH) in the anaesthetized rabbit	107
LOU, Y.-P., FRANCO-CERECEDA, A. & LUNDBERG, J. M. Different ion channel mechanisms between low concentrations of capsaicin and high concentration of capsaicins and nicotine regarding peptide release from pulmonary afferents	119
JONSSON, B. & HAMMARSTRÖM, M. Influence of prostaglandins and a prostaglandin H synthase inhibitor on cervical secretion of the guinea-pig	129
MENDEZ, C. F., HANSSON, A., SKOGLUND, G., INGELMAN-SUNDBERG, M. & APERIA, A. Protein kinase C activity in rat renal proximal tubules	135
FOLKOW, L. P. & BLIX, A. S. Metabolic rates of minke whales (<i>Balaenoptera acutorostrata</i>) in cold water	141
INSTRUCTIONS TO AUTHORS	151

VOLUME 146, NUMBER 2, OCTOBER 1992

HEDMAN, A. E., HARTIKAINEN, J. E. K., TAHVANAINEN, K. U. O. & HAKUMAKI, M. O. K. Power spectral analysis of heart rate and blood pressure variability in anaesthetized dogs	155
WÄHLANDER, H., NORDBORG, C., NORDLANDER, M. & FRIBERG, P. Functional and stereological estimations of myocardial capillary exchange capacity in treated and untreated spontaneously hypertensive rats	165
KIHLSTRÖM, M. T. Lipid peroxidation capacities in the myocardium of endurance-trained rats and mice <i>in vitro</i>	177
RODIONOV, I. M., TARASOVA, O. S., VAKULINA, T. P., KOSHELEV, V. B., PINELIS, V. G. & MARKOV, CH. M. Vasoconstrictor reactions in spontaneously hypertensive rats versus Wistar Kyoto can be increased or decreased depending on the conditions of perfusion	185
EMMELUTH, C. & BIE, P. Effects, release and disposal of endothin-1 in conscious dogs	197
ROŠA, J., ROŠA, J. & FIŠTER, V. Effects of somatostatin on glucagon-stimulated glycogenolysis and gluconeogenesis in hepatocytes cultured <i>in vitro</i>	205
SÄGSTRÖM, S., ROOMANS, G. M., WROBLEWSKI, R., KEULEMANS, J. L. M., HOOGEVEEN, A. T. & BIJMAN, J. X-ray micro-analysis of cultured respiratory epithelial cells from patients with cystic fibrosis	213
EDMAN, Å., THEANDER, S. & GRAMPP, W. Functional effects of a hyperpolarization-activated membrane current in the lobster stretch receptor neurone	221
KRØIGAARD, M., THAMS, P. & THORN, N. A. Polyamines in nerve terminals and secretory granules isolated from neurohypophyses	233
HYSING, J., ØSTENSEN, J., TOLLESHAUG, H., ANDERSEN, K.-J. & KIIL, F. Luminal and basolateral uptake and degradation of insulin in the proximal tubules of the dog kidney	241
GLENMARK, B., HEDBERG, G. & JANSSON, E. Changes in muscle fibre type from adolescence to adulthood in women and men	251
KUNIMOTO, M., KIRNÖ, K., ELAM, M., KARLSSON, T. & WALLIN, B. G. Neuro-effector characteristics of sweat glands in the human hand activated by irregular stimuli	261
ZERANI, M. & GOBBETTI, A. <i>In vivo</i> and <i>in vitro</i> studies on effects of β -endorphin and naloxone on sex steroids in the water frog, <i>Rana esculenta</i>	271
<i>Rapid Communications</i>	
OISHI, Y., ISHIHARA, A. & KATSUTA, S. Muscle fibre number following hindlimb immobilization	281
BORG-ANDERSSON, A., EKSTRÖM, J. & BIRKHED, D. Glucose in human parotid saliva in response to cold stress	283
ALM, P., LARSSON, B. & ANDERSSON, K.-E. NADPH diaphorase activity and non-adrenergic, non-cholinergic relaxation of the human gastrointestinal tract	285
PERSSON, A. E. G., SALOMONSSON, M., KORNFELD, M., GUTIERREZ, A. M. & GONZÁLEZ, E. Activation of the tubuloglomerular feedback mechanism in an <i>in vitro</i> preparation of the juxtaglomerular apparatus	289
OHNO, H., YAMASHITA, H., OOKAWARA, T., SAITOH, D., WAKABAYASHI, K. & TANIGUCHI, N. Training effects on concentrations of immunoreactive superoxide iso-enzymes in human plasma	291

VOLUME 146, NUMBER 3, NOVEMBER 1992

BLOMSTRAND, E. & NEWSHOLME, E. A. Effect of branched-chain amino acid supplementation on the exercise-induced change in aromatic amino acid concentration in human muscle	293
LÄNNE, T. & LUNDVALL, J. Mechanism in man for rapid refill of the circulatory system in hypovolaemia	299
KUNEŠ, J., POIRIER, M., TREMBLAY, J. & HAMET, P. Expression of hsp70 gene in lymphocytes from normotensive and hypertensive humans	307
LÄNNE, T., EDFELDT, H., QUITTENBAUM, S. & LUNDVALL, J. Large capillary fluid permeability in skeletal muscle and skin of man as a basis for rapid beneficial fluid transfer between tissue and blood	313
WAALER, B. A. & ERIKSEN, M. Post-prandial cardiovascular responses in man after ingestion of carbohydrate, protein or fat	321
IVERSEN, P. O. Evidence for long-term fluctuations in regional blood flow within the rabbit left ventricle	329
ROSÉN, A., BRODIN, K., ENEROTH, P. & BRODIN, E. Short-term restraint stress and s.c. saline injection after the tissue levels of substance P and cholecystokinin in the peri-aqueductal grey and limbic regions of rat brain	341
UVNÄS MOBERG, K., LUNDEBERG, T., BRUZELIUS, G. & ALSTER, P. Vagally mediated release of gastrin and cholecystokinin following sensory stimulation	349
DUNÉR-ENGSTRÖM, M., LARSSON, O., FREDHOLM, B. B., LUNDBLAD, L., FAHRENKRUG, J. & LUNDBERG, J. M. Effects of acute and long-term atropine treatment on levels, release and response to VIP and PHI in the submandibular gland of cat and rat	357
VILLANGER, O., VEEL, T., HOLTHE, M. R., CRAGOE, E. J. JR & RÆDER, M. G. Secretin stimulates bile ductules to secrete both H^+ and HCO_3^- -ions	369
BOJÖ, I., CASSUTO, J. & NELLGÅRD, P. Pain-induced inhibition of gastric motility is mediated by adrenergic and vagal non-adrenergic reflexes in the rat	377
KUNIMOTO, M., KIRNÖ, K., ELAM, M., KARLSSON, T. & WALLIN, B. G. Non-linearity of skin resistance response to intraneural electrical stimulation of sudomotor nerves	385
MORSING, P., STENBERG, A., CASELLAS, D., MIMRAN, A., MÜLLER-SUUR, C., THORUP, C., HOLM, L. & PERSSON, A. E. G. Renal interstitial pressure and tubuloglomerular feedback control in rats during infusion of atrial natriuretic peptide (ANP)	393
<i>Rapid Communications</i>	
NIELSEN, J. & PETERSEN, N. Changes in motor cortex excitability preceding voluntary ramp-and-hold plantarflexion in man	399
LUNDVALL, J. & EDFELT, H. LBNP – a safe method in man capable of disclosing the wide range of baroflex limb vascular resistance and control exercised by the sympathetic vasomotor fibres	401
MACDOUGALL, J. D., TARNOPOLSKY, M. A., CHESLEY, A. & ATKINSON, S. A. Changes in muscle protein synthesis following heavy resistance exercise in humans: a pilot study	403
ANDERSSON, K. E., HOLMQUIST, F. & BØDKER, A. Castration enhances NANC nerve-mediated relaxation in rabbit isolated corpus cavernosum	405
ALVING, K., FORNHEM, C., WEITZBURG, E. & LUNDBERG, J. M. Nitric oxide mediates cigarette smoke-induced vasodilatory responses in the lung	407
IGAWA, Y., MATIASSEN, A., ANDERSSON, K.-E. Is bladder hyperactivity due to outlet obstruction in the rat related to changes in reflexes or to myogenic changes in the detrusor?	409
ERIKSSON, S., ANDERSSON, B. & RUNDGREN, M. Thirst and hypertension remaining after intracarotid infusions of angiotension II in the sheep	413

VOLUME 146, NUMBER 4, DECEMBER 1992

LINDBOM, L., XIE, X., RAUD, J. & HEDQVIST, P. Chemoattractant-induced firm adhesion of leukocytes to vascular endothelium <i>in vivo</i> is critically dependent on initial leukocyte rolling	415
AARS, H., GAZELIUS, B., EDWALL, L. & OLGART, L. Effects of autonomic reflexes on tooth pulp blood flow in man	423
MORITA-TSUZUKI, Y., BOUSKELA, E. & HARDEBO, J. E. Vasomotion in the rat cerebral microcirculation recorded by laser-Doppler flowmetry	431
TARASOVA, O. S. & RODIONOV, I. M. The role of purinergic neurotransmission in various cardiovascular reflexes	441
SAITO, M., KAGAYA, A., OGITA, F. & SHINOHARA, M. Changes in muscle sympathetic nerve activity and calf blood flow during combined leg and forearm exercise	449
ULLMAN, J. E., HJELMQVIST, H., LUNDBERG, J. M. & RUNDGREN, M. Tolerance to haemorrhage during vasopressin antagonism and/or captopril treatment in conscious sheep	457
SAHLGREN, B., EKLÖF, A.-CH. & APERIA, A. Regulation of glomerular angiotensin II receptor densities in renovascular hypertension: response to reduced sympathetic and vasopressin influence	467
LUNDBÆK, J. A. & HANSEN, A. J. Brain interstitial volume fraction and tortuosity in anoxia. Evaluation of the ion-selective micro-electrode method	473
LARSSON, L. & SALVIATI, G. A technique for studies of the contractile apparatus in single human muscle fibre segments obtained by percutaneous biopsy	485
NELLGÅRD, B. & WIELOCH, T. NMDA-receptor blockers but not NBQX, an AMPA-receptor antagonist, inhibit spreading depression in the rat brain	497
HOLMÅNG, A. & BJÖRNTORP, P. The effects of testosterone on insulin sensitivity in male rats	505
PAULSEN, R. H., PAULSEN, E. J., GAUTVIK, K. M. & GORDELADZE, J. O. Modulation of G proteins and second messenger responsiveness by steroid hormones in GH ₃ rat pituitary tumour cells	511
HAMLET, A., JÖNSON, C. & FÄNDRIS, L. The mediation of increased duodenal alkaline secretion in response to 10 mM HCl in the anaesthetized rat. Support for the involvement of capsaicin-sensitive nerve elements	519

Rapid Communications

BERGSTRÖM, G., RUDENSTAM, J., FOLKOW, B., KARLSTRÖM, G., GÖTHBERG, G. N- ω -nitro-L-arginine inhibits the humoral renomedullary vasodepressor response in a Wistar 'assay' rat, otherwise induced by extracorporeal high-pressure perfusion of an isolated kidney	527
RUDENSTAM, J., BERGSTRÖM, G., FOLKOW, B., GÖTHBERG, G. & KARLSTRÖM, G. Sympathetic nerve stimulation to an isolated cross-circulated kidney inhibits the pressure-induced humoral hypotensive responses but increases diuresis and natriuresis in the cross-circulating Wistar 'assay' rat	529
KRISTIÁN, T., KATSURA, K.-I. & SIESJÖ, B. K. The influence of moderate hypothermia on cellular calcium uptake in complete ischaemia: implications for the excitotoxic hypothesis	531
MEISTER, B., JACOBSSON, G. & ELDE, R. Observations on the localization of prolactin receptor mRNA in rat tissues as revealed by <i>in situ</i> hybridization	533
SATO, H., LOU, Y.-P., LEE, L.-Y. & LUNDBERG, J. M. Inhibitory effects of capsazepine and the NK2 antagonist SR 48968 on bronchoconstriction evoked by sensory nerve stimulation in guinea-pigs	535

DELAY-GOYET, P., SATOH, H. & LUNDBERG, J. M. Relative involvement of substance P and CGRP mechanisms in antidromic vasodilation in the rat skin	537
JOHANSSON, B., SVENNINGSSON, P., ÅDÉN, U., LINDSTRÖM, K. & FREDHOLM, B. Evidence that the increase in striatal <i>c-fos</i> following acute high-dose caffeine is not due to direct interaction with striatal adenosine receptors	539
COIMBRA, C. & WIELOCH, T. Hypothermia ameliorates neuronal survival when induced 2 hours after ischaemia in the rat	543
RAUD, J., LINDBOM, L. & HEDQVIST, P. Histamine and leukotriene C ₄ act synergistically via blood flow-independent mechanism to enhance microvascular plasma leakage	545
VON EULER, G. & LIU, Y. Dopamine inhibits [³ H]MK-801 binding in membrane preparations from rat cerebral cortex and caudate-putamen	547
BANGSBO, J., SJÖDIN, B., HELLSTEN-WESTING, Y. Exchange of hypoxanthine in muscle during intense exercise in man	549
AUTHOR AND SUBJECT INDEX	551